



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3172$ $y=0.3453$
 Chromaticity Coordinate: $u'=0.1949$ $v'=0.4774$ ($duv=9.13e-03$)
 Tc=6182K Dominant WL:Ld=501.6nm Purity=4.9% Centroid WL:541.0nm
 Ratio:R=14.4% G=80.6% B=5.0% Peak WL:Lp=450.0nm HWL:27.8nm
 Render Index:Ra=82.0
 R1 =79 R2 =87 R3 =92 R4 =81 R5 =80 R6 =82 R7 =88
 R8 =67 R9 =-1 R10=69 R11=79 R12=58 R13=81 R14=96 R15=73

Photo Parameters:

Flux: 795.53 lm Fe: 2.5078 W Efficacy:91.80 lm/W

Electrical Parameters:

Luminaire: U=231.03V I=0.06526A P=8.666W PF=0.5747

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=55834(G=5,D=54)
 REF=31653(R=3) %=-0.533% PMT: 29.8 centigrade [150.0]

Product Type:LLGU10AP8WNFCWTEJ
 Number:4
 Temperature:25.3 deg
 Test Operator:Iris
 Software:V3.00.137

Manufacturer:
 Test Department:
 Humidity:65.0%
 Test Date:2019-07-30 17:28:03
 Instrument:PMS-80_V1 (SN:G107113CJ6321130)