


Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.5326$ $y=0.4258$
 Chromaticity Coordinate: $u'=0.3024$ $v'=0.5440$ ($duv=3.82e-03$)
 Tc=2028K Dominant WL:Ld=587.5nm Purity=87.7% Centroid WL:617.0nm
 Ratio:R=34.8% G=64.1% B=1.0% Peak WL:Ip=615.0nm HWL:105.6nm
 Render Index:Ra=80.9
 R1 =79 R2 =91 R3 =93 R4 =77 R5 =79 R6 =93 R7 =80
 R8 =54 R9 =8 R10=83 R11=77 R12=82 R13=81 R14=97 R15=70

Photo Parameters:

Flux: 495.48 lm Fe: 1.7244 W Efficacy:88.32 lm/W

Electrical Parameters:

Luminaire: U=230.27V I=0.04793A P=5.610W PF=0.5083

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=40883(G=6,D=45)
 REF=18320(R=3) %=-0.181% PMT: 18.4 centigrade [150.0]

Product Type:LLGYFIL6WE14EWWA
 Number:LLGU000000000067
 Temperature:25.3 deg
 Test Operator:MARTIN
 Software:V3.00.137

Manufacturer:
 Test Department:
 Humidity:65.0%
 Test Date:2020-01-09 15:57:22
 Instrument:PMS-80_V1 (SN:G107113CJ6321130)