


Spectrum Test Report



Colorimetric Parameters

Chromaticity Coordinate: $x=0.3834$ $y=0.3807/u'=0.2255$ $v'=0.5037$

CCT=3949K(Duv=0.0010) Dominant WL:Ld =578.8nm Purity=29.3%

Peak WL:Lp=450.1nm FWHM=24.0nm

Render Index:Ra=82.0 Render Index:AvgR =74.9

R1 =80 R2 =87 R3 =92 R4 =82 R5 =80 R6 =82 R7 =86

R8 =65 R9 =7 R10=69 R11=81 R12=60 R13=82 R14=96 R15=74

Photometric & Radiometric Parameters

Flux=3840 lm Eff.:93.93 lm/W Fe=11.57 W

Electrical parameters

V=230.2 V I=0.3175 A P=40.89 W PF=0.5594 Kdisp(IEC) = 0 F=49.99 Hz

功率因数 Kdisp(IEC)=0 频率=49.99 Hz

LEVEL:OUT WHITE:ANSI_4000K

Status: Integral T = 71 ms Ip = 45442 (69%)

Model:LLPBL30X120CM40W4000K-1 Test Mode: Accuracy Test: Sensitivity = High; Tcool: ON
 Test By:DAMIN Number:LLPBL30X120CM40W4000K-1
 Temperature:25.3Deg Date:2023-07-25 16:48:09
 Manufacturer: Humidity:65.0%
 Assessor:damin Remarks:---