



Light Source Test Report



Color Parameters:

Chromaticity Coordinate: x=0.4388 y=0.4079
 Chromaticity Coordinate: u'=0.2501 v'=0.5232 (duv=1.27e-03)
 Tc=3000K Dominant WL:Ld=582.4nm Purity=54.2% Centroid WL:587.0nm
 Ratio:R=24.2% G=73.8% B=2.0% Peak WL:Lp=600.0nm HWL:121.0nm
 Render Index:Ra=79.6
 R1 =77 R2 =88 R3 =97 R4 =78 R5 =77 R6 =85 R7 =81
 R8 =53 R9 =-9 R10=73 R11=77 R12=69 R13=79 R14=98 R15=68

Photo Parameters:

Flux: 1339.8 lm Fe: 3.9392 W Efficacy:95.74 lm/W

Electrical Parameters:

Luminaire: U=230.17V I=0.1091A P=13.99W PF=0.5575

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=29184(G=5,D=54)
 REF=48992(R=3) %=-0.413% PMT: 28.8 centigrade [150.0]

Product Type:LLUF015WIP54KORWW-1
 Number:19
 Temperature:25.3 deg
 Test Operator:MARTIN
 Software:V3.00.137

Manufacturer:
 Test Department:
 Humidity:65.0%
 Test Date:2020-05-08 16:52:56
 Instrument:PMS-80_V1 (SN:G107113CJ6321130)