


Light Source Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3022$ $y=0.3213$
 Chromaticity Coordinate: $u'=0.1934$ $v'=0.4626$ ($duv=4.71e-03$)
 Tc=7198K Dominant WL:Ld=486.6nm Purity=11.4% Centroid WL:533.0nm
 Ratio:R=13.7% G=80.7% B=5.5% Peak WL:Lp=450.0nm HWL:26.0nm
 Render Index:Ra=82.9
 R1 =80 R2 =87 R3 =91 R4 =83 R5 =82 R6 =82 R7 =88
 R8 =70 R9 =2 R10=68 R11=83 R12=62 R13=82 R14=95 R15=75

Photo Parameters:

Flux: 2978.7 lm Fe: 9.7986 W Efficacy:119.7 lm/W

Electrical Parameters:

Luminaire: U=229.94V I=0.2010A P=24.89W PF=0.5384

Instrument Status:

Scan Range:380.0nm-800.0nm Interval:5.0nm[0] Ip=14575(G=3,D=43)
 REF=9947(R=2) %=-0.030% PMT: 15.9 centigrade [150.0]

Product Type:LLUFO25WIP54KORCW-4	Manufacturer:
Number:LED-A00087	Test Department:
Temperature:25.3 deg	Humidity:65.0%
Test Operator:MARTIN	Test Date:2021-01-24 13:29:15
Software:V3.00.137	Instrument:PMS-80_V1 (SN:G107113CJ6321130)